

United States Department of Agriculture  
Natural Resources Conservation Service

First Named Component Leaching Index Values for CRP  
Prince Georges County, Maryland: Detailed Soil Map Legend (out-of-date)

(see footnotes at end of table)

Map Symbol	Component Name	Map Unit Name	Drained Index	Undrained Index
AdA	ADELPHIA	ADELPHIA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES		1
AdB2	ADELPHIA	ADELPHIA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
AdC2	ADELPHIA	ADELPHIA FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		1
AhA	ADELPHIA	ADELPHIA SILT LOAM, 0 TO 2 PERCENT SLOPES		1
AhB2	ADELPHIA	ADELPHIA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
AuB2	AURA	AURA GRAVELLY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED		2
AuC2	AURA	AURA GRAVELLY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED		2
AuC3	AURA	AURA GRAVELLY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED		2
AuD	AURA	AURA GRAVELLY LOAM, 12 TO 20 PERCENT SLOPES		2
AvE	AURA	AURA AND CROOM GRAVELLY LOAMS, 20 TO 50 PERCENT SLOPES		2
BeA	BELTSVILLE	BELTSVILLE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES		1
BeB2	BELTSVILLE	BELTSVILLE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
BeC2	BELTSVILLE	BELTSVILLE FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		1
BlA	BELTSVILLE	BELTSVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES		1
BlB2	BELTSVILLE	BELTSVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
BlC2	BELTSVILLE	BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		1
BlC3	BELTSVILLE	BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		1
BlD3	BELTSVILLE	BELTSVILLE SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED		1
BmB	BELTSVILLE	BELTSVILLE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES		1
BmC	BELTSVILLE	BELTSVILLE-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES		1
Bn	BIBB	BIBB SANDY LOAM		1
Bo	BIBB	BIBB SILT LOAM		1
Br	BIBB	BIBB-URBAN LAND COMPLEX		1
BtB2	BUTLERTOWN	BUTLERTOWN SILT LOAM, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
CaB2	CHILLUM	CHILLUM SILT LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ERODED		2
CaC2	CHILLUM	CHILLUM SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED		2
CaC3	CHILLUM	CHILLUM SILT LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED		2
CaD2	CHILLUM	CHILLUM SILT LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED		2
CbB	CHILLUM	CHILLUM-URBAN LAND COMPLEX, 0 TO 6 PERCENT SLOPES		2
CbC	CHILLUM	CHILLUM-URBAN LAND COMPLEX, 6 TO 12 PERCENT SLOPES		2
CbE	CHILLUM	CHILLUM-URBAN LAND COMPLEX, 12 TO 35 PERCENT SLOPES		2
CcC3	CHRISTIANA	CHRISTIANA CLAY, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		1
CcD3	CHRISTIANA	CHRISTIANA CLAY, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED		1
CcE3	CHRISTIANA	CHRISTIANA CLAY, 15 TO 35 PERCENT SLOPES, SEVERELY ERODED		1
CdA	CHRISTIANA	CHRISTIANA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES		1
CdB2	CHRISTIANA	CHRISTIANA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
CdC2	CHRISTIANA	CHRISTIANA FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		1
CdD2	CHRISTIANA	CHRISTIANA FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED		1
CeA	CHRISTIANA	CHRISTIANA SILT LOAM, 0 TO 2 PERCENT SLOPES		1

United States Department of Agriculture  
Natural Resources Conservation Service

First Named Component Leaching Index Values for CRP  
Prince Georges County, Maryland: Detailed Soil Map Legend (out-of-date)

(see footnotes at end of table)

Map Symbol	Component Name	Map Unit Name	Drained Index	Undrained Index
CeB2	CHRISTIANA	CHRISTIANA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	1	1
CeC2	CHRISTIANA	CHRISTIANA SILT LOAM 5 TO 10 PERCENT SLOPES MODERATELY ERODED		1
CeD2	CHRISTIANA	CHRISTIANA SILT LOAM, 10 TO 25 PERCENT SLOPES, MODERATE LY ERODED		1
CfB	CHRISTIANA	CHRISTIANA-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES		1
CfC	CHRISTIANA	CHRISTIANA-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES		1
CfE	CHRISTIANA	CHRISTIANA-URBAN LAND COMPLEX, 15 TO 40 PERCENT SLOPES		1
Ch	CODORUS	CODORUS SILT LOAM		1
Ck	CODORUS	CODORUS-URBAN LAND COMPLEX		1
Cl	COLEMANTOWN	COLEMANTOWN LOAM		1
CmA	COLLINGTON	COLLINGTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES		2
CmB2	COLLINGTON	COLLINGTON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		2
CmC2	COLLINGTON	COLLINGTON FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		2
CmC3	COLLINGTON	COLLINGTON FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		2
CmD2	COLLINGTON	COLLINGTON FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED		2
CmD3	COLLINGTON	COLLINGTON FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED		2
CmE2	COLLINGTON	COLLINGTON FINE SANDY LOAM, 15 TO 40 PERCENT SLOPES, MODERATELY ERODED		2
CmE3	COLLINGTON	COLLINGTON FINE SANDY LOAM, 15 TO 30 PERCENT SLOPES, SEVERELY ERODED		2
CnB2	COLLINGTON	COLLINGTON LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED		2
CnC2	COLLINGTON	COLLINGTON LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		2
CnD2	COLLINGTON	COLLINGTON LOAMY FINE SAND, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED		2
CoA	COLLINGTON	COLLINGTON SILT LOAM, 0 TO 2 PERCENT SLOPES		2
CoB2	COLLINGTON	COLLINGTON SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		2
CoC3	COLLINGTON	COLLINGTON SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		2
CpB	COLLINGTON	COLLINGTON-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES		2
CpC	COLLINGTON	COLLINGTON-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES		2
Cr	COMUS	COMUS SILT LOAM	1	1
CsB2	CROOM	CROOM GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES MODERATELY ERODED		1
CsC2	CROOM	CROOM GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED		1
CsC3	CROOM	CROOM GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED		1
CtB2	CROOM	CROOM GRAVELLY SANDY LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED		1
CtC2	CROOM	CROOM GRAVELLY SANDY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED		1
CtC3	CROOM	CROOM GRAVELLY SANDY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED		1
CtD2	CROOM	CROOM GRAVELLY SANDY LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED		1
CuB	CROOM	CROOM-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES		1
CuC	CROOM	CROOM-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES		1
CuE	CROOM	CROOM-URBAN LAND COMPLEX, 15 TO 35 PERCENT SLOPES		1
DoA	DONLONTON	DONLONTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES		1
DoB2	DONLONTON	DONLONTON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
Ek	ELKTON	ELKTON SILT LOAM		1

United States Department of Agriculture  
Natural Resources Conservation Service

First Named Component Leaching Index Values for CRP  
Prince Georges County, Maryland: Detailed Soil Map Legend (out-of-date)

(see footnotes at end of table)

Map Symbol	Component Name	Map Unit Name	Drained Index	Undrained Index
ElB	ELKTON	ELKTON FINE SANDY LOAM, THICK SURFACE, 0 TO 5 PERCENT S LOPEs	1	1
EmA	ELSINBORO	ELSINBORO LOAM, 0 TO 2 PERCENT SLOPES		2
EmB2	ELSINBORO	ELSINBORO LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED		2
EnA	ELSINBORO	ELSINBORO SANDY LOAM, 0 TO 2 PERCENT SLOPES		2
EnB2	ELSINBORO	ELSINBORO SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		2
EnC2	ELSINBORO	ELSINBORO SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		2
EuB	ELSINBORO	ELSINBORO-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES		2
F1	FALLSINGTON	FALLSINGTON LOAM	2	1
Fs	FALLSINGTON	FALLSINGTON SANDY LOAM	3	1
Fu	FALLSINGTON	FALLSINGTON-URBAN LAND COMPLEX	3	1
GaB	GALESTOWN	GALESTOWN GRAVELLY LOAMY SAND, 0 TO 8 PERCENT SLOPES		2
GaC	GALESTOWN	GALESTOWN GRAVELLY LOAMY SAND, 8 TO 15 PERCENT SLOPES		2
GdB	GALESTOWN	GALESTOWN LOAMY SAND, 0 TO 8 PERCENT SLOPES		3
GdC	GALESTOWN	GALESTOWN LOAMY SAND, 8 TO 15 PERCENT SLOPES		3
GeB	GALESTOWN	GALESTOWN-EVESBORO LOAMY SANDS, 0 TO 8 PERCENT SLOPES		3
GeC	GALESTOWN	GALESTOWN-EVESBORO LOAMY SANDS, 8 TO 15 PERCENT SLOPES		3
GmB	GALESTOWN	GALESTOWN-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES		3
GmC	GALESTOWN	GALESTOWN-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES		3
GnC2	GLENELG	GLENELG LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED		2
GoB	GLENELG	GLENELG-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES		2
Ha	HATBORO	HATBORO SILT LOAM		1
HcC3	HOWELL	HOWELL CLAY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED		1
HcD3	HOWELL	HOWELL CLAY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED		1
HoB2	HOWELL	HOWELL FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED		1
HoC2	HOWELL	HOWELL FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED		1
HwB2	HOWELL	HOWELL SILT LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ERODED		1
HwC2	HOWELL	HOWELL SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED		1
HwD2	HOWELL	HOWELL SILT LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED		1
HwE2	HOWELL	HOWELL SILT LOAM, 20 TO 35 PERCENT SLOPES, MODERATELY ERODED		1
Hy	HYDE	HYDE SILT LOAM	2	1
Ik	IUKA	IUKA FINE SANDY LOAM		1
ImA	IUKA	IUKA SANDY LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES		1
ImB	IUKA	IUKA SANDY LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT SLOPES		1
In	IUKA	IUKA SILT LOAM		1
IoA	IUKA	IUKA SILT LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES		1
IoB	IUKA	IUKA SILT LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT		1
Iu	IUKA	IUKA-URBAN LAND COMPLEX		1
Ix	IUKA	IUKA-URBAN LAND COMPLEX, LOCAL ALLUVIUM		1
Jo	JOHNSTON	JOHNSTON SILT LOAM		1
Ju	JOHNSTON	JOHNSTON-URBAN LAND COMPLEX		1
KeA	KEYPORT	KEYPORT FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES		1
KeB2	KEYPORT	KEYPORT FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
KeC2	KEYPORT	KEYPORT FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		1
KpA	KEYPORT	KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES		1

United States Department of Agriculture  
Natural Resources Conservation Service

First Named Component Leaching Index Values for CRP  
Prince Georges County, Maryland: Detailed Soil Map Legend (out-of-date)

(see footnotes at end of table)

Map Symbol	Component Name	Map Unit Name	Drained Index	Undrained Index
KpB2	KEYPORT	KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED	2	1
KpC2	KEYPORT	KEYPORT SILT LOAM, 5 TO 15 PERCENT SLOPES, MODERATELY ERODED		1
KrC3	KEYPORT	KEYPORT SILTY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		1
KuB	KEYPORT	KEYPORT-URBAN LAND COMPLEX, 0 TO 10 PERCENT SLOPES		1
Ky	KLEJ	KLEJ LOAMY SAND		1
LeA	LEONARDTOWN	LEONARDTOWN SILT LOAM, 0 TO 2 PERCENT SLOPES		1
LeB	LEONARDTOWN	LEONARDTOWN SILT LOAM, 2 TO 5 PERCENT SLOPES		1
MfB2	MAGNOLIA	MAGNOLIA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED		1
MgB2	MAGNOLIA	MAGNOLIA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
MgC2	MAGNOLIA	MAGNOLIA SILT LOAM, 5 TO 10 PERCENT SLOPES MODERATELY ERODED		1
MhB2	MANOR	MANOR LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED		2
MhC2	MANOR	MANOR LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED		2
MhD2	MANOR	MANOR LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED		2
MhF2	MANOR	MANOR LOAM, 25 TO 60 PERCENT SLOPES, MODERATELY ERODED		2
MkC	MANOR	MANOR-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES		2
M1A	MARR	MARR FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES		2
M1B2	MARR	MARR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED		2
M1B3	MARR	MARR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, SEVERELY ERODED		2
M1C2	MARR	MARR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED		2
M1C3	MARR	MARR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED		2
M1D3	MARR	MARR FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED		2
M1E	MARR	MARR FINE SANDY LOAM, 20 TO 35 PERCENT SLOPES		2
MmA	MATAPEAKE	MATAPEAKE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES		2
MmB2	MATAPEAKE	MATAPEAKE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		2
MnA	MATAPEAKE	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES		2
MnB2	MATAPEAKE	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		2
MnC2	MATAPEAKE	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		2
MnC3	MATAPEAKE	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		2
MnD2	MATAPEAKE	MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED		2
MoB2	MATAPEAKE	MATAPEAKE SILT LOAM, SILTY SUBSTRATUM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		2
MpB	MATAPEAKE	MATAPEAKE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES		2
MpC	MATAPEAKE	MATAPEAKE-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES		2
MsA	MATAWAN	MATAWAN LOAMY SAND, 0 TO 2 PERCENT SLOPES		1
MsB	MATAWAN	MATAWAN LOAMY SAND, 2 TO 5 PERCENT SLOPES		1
MtA	MATTAPEX	MATTAPEX FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES		1
MtB2	MATTAPEX	MATTAPEX FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
MuA	MATTAPEX	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES		1
MuB2	MATTAPEX	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
MvB	MATTAPEX	MATTAPEX-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES		1
MxC3	MONMOUTH	MONMOUTH CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		1
MxD3	MONMOUTH	MONMOUTH CLAY LOAM, 10 TO 30 PERCENT SLOPES, SEVERELY ERODED		1

United States Department of Agriculture  
Natural Resources Conservation Service

First Named Component Leaching Index Values for CRP  
Prince Georges County, Maryland: Detailed Soil Map Legend (out-of-date)

(see footnotes at end of table)

Map Symbol	Component Name	Map Unit Name	Drained Index	Undrained Index
MyA	MONMOUTH	MONMOUTH FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES		1
MyB2	MONMOUTH	MONMOUTH FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
MyC2	MONMOUTH	MONMOUTH FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES MODERATELY ERODED		1
MyD2	MONMOUTH	MONMOUTH FINE SANDY LOAM, 10 TO 15 PERCENT MODERATELY ERODED		1
OcA	OCHLOCKONEE	OCHLOCKONEE SANDY LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES		3
OcB	OCHLOCKONEE	OCHLOCKONEE SANDY LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT SLOPES		3
OcC	OCHLOCKONEE	OCHLOCKONEE SANDY LOAM, LOCAL ALLUVIUM, 5 TO 10 PERCENT SLOPES		3
OhA	OCHLOCKONEE	OCHLOCKONEE SILT LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES		3
OhB	OCHLOCKONEE	OCHLOCKONEE SILT LOAM, LOCAL ALLUVIUM 2 TO 5 PERCENT SLOPES		3
Ok	OCHLOCKONEE	OCHLOCKONEE, LOCAL ALLUVIUM-URBAN LAND COMPLEX		3
O1	OTHELLO	OTHELLO FINE SANDY LOAM	1	1
Ot	OTHELLO	OTHELLO SILT LOAM	1	1
Pr	PLUMMER	PLUMMER AND RUTLEGE LOAMY SANDS	2	1
RdA	RUMFORD	RUMFORD LOAMY SAND, 0 TO 2 PERCENT SLOPES		3
RdB2	RUMFORD	RUMFORD LOAMY SAND, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		3
RdC2	RUMFORD	RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		3
RdC3	RUMFORD	RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		3
RdD2	RUMFORD	RUMFORD LOAMY SAND, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED		3
ReB	RUMFORD	RUMFORD-EVESBORO LOAMY SANDS, 2 TO 6 PERCENT SLOPES		3
ReC	RUMFORD	RUMFORD-EVESBORO LOAMY SANDS, 6 TO 12 PERCENT SLOPES		3
ReD	RUMFORD	RUMFORD-EVESBORO LOAMY SANDS, 12 TO 20 PERCENT SLOPES		3
SfB2	SASSAFRAS	SASSAFRAS GRAVELLY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		3
SfC2	SASSAFRAS	SASSAFRAS GRAVELLY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		3
SfD2	SASSAFRAS	SASSAFRAS GRAVELLY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED		3
SgB2	SASSAFRAS	SASSAFRAS GRAVELLY SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		3
SgC2	SASSAFRAS	SASSAFRAS GRAVELLY SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		3
SgC3	SASSAFRAS	SASSAFRAS GRAVELLY SANDY LOAM, 5 TO 10 PERCENT, SLOPES, MODERATELY ERODED		3
SgD2	SASSAFRAS	SASSAFRAS GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED		3
SgD3	SASSAFRAS	SASSAFRAS GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED		3
SgE	SASSAFRAS	SASSAFRAS GRAVELLY SANDY LOAM, 15 TO 30 PERCENT SLOPES		3
ShA	SASSAFRAS	SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES		2
ShB2	SASSAFRAS	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		2
ShC2	SASSAFRAS	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		2
ShC3	SASSAFRAS	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		2
SkB	SASSAFRAS	SASSAFRAS-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES		2
SkC	SASSAFRAS	SASSAFRAS-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES		2
SkE	SASSAFRAS	SASSAFRAS-URBAN LAND COMPLEX, 15 TO 30 PERCENT SLOPES		2

United States Department of Agriculture  
Natural Resources Conservation Service

First Named Component Leaching Index Values for CRP  
Prince Georges County, Maryland: Detailed Soil Map Legend (out-of-date)

(see footnotes at end of table)

Map Symbol	Component Name	Map Unit Name	Drained Index	Undrained Index
S1D	SASSAFRAS	SASSAFRAS-COLLINGTON-AURA GRAVELLY SANDY LOAMS, 12 TO 20 PERCENT SLOPES		3
S1E	SASSAFRAS	SASSAFRAS-COLLINGTON-AURA GRAVELLY SANDY LOAMS, 20 TO 35 PERCENT SLOPES		3
SmA	SHREWSBURY	SHREWSBURY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	1	1
SmB	SHREWSBURY	SHREWSBURY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	1	1
SnA	SHREWSBURY	SHREWSBURY SILT LOAM, 0 TO 2 PERCENT SLOPES	1	1
So	SHREWSBURY	SHREWSBURY-URBAN LAND COMPLEX	1	1
SpB	SILTY AND CLAYEY LAND, GENTLY SLOPING	SILTY AND CLAYEY LAND, GENTLY SLOPING		1
SpC	SILTY AND CLAYEY LAND, SLOPING	SILTY AND CLAYEY LAND, SLOPING		1
SpE	SILTY AND CLAYEY LAND, STEEP	SILTY AND CLAYEY LAND, STEEP		1
StB2	SUNNYSIDE	SUNNYSIDE FINE SANDY LOAM, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED		2
StC2	SUNNYSIDE	SUNNYSIDE FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		2
StD2	SUNNYSIDE	SUNNYSIDE FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED		2
StE	SUNNYSIDE	SUNNYSIDE FINE SANDY LOAM, 15 TO 30 PERCENT SLOPES		2
SuB2	SUNNYSIDE	SUNNYSIDE LOAM, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED		2
SuC2	SUNNYSIDE	SUNNYSIDE LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		2
SuD2	SUNNYSIDE	SUNNYSIDE LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED		2
SvC3	SUNNYSIDE	SUNNYSIDE SANDY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED		2
SvD3	SUNNYSIDE	SUNNYSIDE SANDY CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED		2
SwB	SUNNYSIDE	SUNNYSIDE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES		2
SwC	SUNNYSIDE	SUNNYSIDE-URBAN LAND COMPLEX, 5 TO 10 PERCENT SLOPES		2
Sx	MANAHAWKIN SWAMP	MANAHAWKIN SWAMP		1
WaA	WESTPHALIA	WESTPHALIA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES		2
WaB2	WESTPHALIA	WESTPHALIA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED		2
WaB3	WESTPHALIA	WESTPHALIA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, SEVERELY ERODED		2
WaC2	WESTPHALIA	WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED		2
WaC3	WESTPHALIA	WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED		2
WaD2	WESTPHALIA	WESTPHALIA FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED		2
WaD3	WESTPHALIA	WESTPHALIA FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED		2
WbB2	WESTPHALIA	WESTPHALIA VERY FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ERODED		2
WbC2	WESTPHALIA	WESTPHALIA VERY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED		2
WbD2	WESTPHALIA	WESTPHALIA VERY FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED		2
WeB2	WESTPHALIA	WESTPHALIA-EVESBORO COMPLEX, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED		2
WeC2	WESTPHALIA	WESTPHALIA-EVESBORO COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED		2
WeC3	WESTPHALIA	WESTPHALIA-EVESBORO COMPLEX, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED		2
WeD3	WESTPHALIA	WESTPHALIA-EVESBORO COMPLEX, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED		2
WoA	WOODSTOWN	WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES		1

United States Department of Agriculture  
Natural Resources Conservation Service

First Named Component Leaching Index Values for CRP  
Prince Georges County, Maryland: Detailed Soil Map Legend (out-of-date)

(see footnotes at end of table)

Map Symbol	Component Name	Map Unit Name	Drained Index	Undrained Index
WoB2	WOODSTOWN	WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED		1
WoC2	WOODSTOWN	WOODSTOWN SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		1
Wu	WOODSTOWN	WOODSTOWN-URBAN LAND COMPLEX		1

This report produces Leaching Index Values (1, 2 and 3) suitable for use as described in Part 539.58 - National Ranking Factor N2, Subfactor B in the CRP Manual. The index information presented in the report is based on data from the first named component of the soil map unit.

The values 1, 2 and 3 are derived by using the same algorithms included in the SOIL PESTICIDE INTERACTION SCREENING PROCEDURE II, Goss and Wauchope, November, 1990. These algorithms produce the leaching values 1, 2, 3 and 4 but this report reverses the order of meaning and combines values 3 and 4. Thus, this report, as required by CRP rules correctly reports 1 as low, 2 as medium, and 3 as high. These values are ready for use in determining signup scores for National ranking subfactor N2 without further code conversion.

